


LAPLINE PLANTER

INSTRUCTIONS (DOUBLE BASE PLANTERS)


We recommend using the following tools (not supplied):



Tape Measure



PZ2 Pozidriv
Screwdriver



Drill & 2-6mm
Drill Bits



Hammer/
Rubber Mallet

PLEASE KEEP PLASTIC BAGS AND SMALL PARTS
AWAY FROM CHILDREN


FIXING PACK CONTAINS:
FIXING PACK CODE: LAPPLAN2FP



4 x 50mm Screws
QTY: 28



3.5 x 30mm Screws
QTY: 8




1.6 x 30mm Screws
QTY: 14

CHECK AND TIGHTEN ALL THE FIXINGS APPLIED
TO THIS PRODUCT ON A REGULAR BASIS.

1


LOW LEVEL PLANTER

50MM
SCREWS



HIGH LEVEL PLANTER


50MM
SCREWS



Position all the bases together as shown. Position and secure a 590 Panel to the Base as shown above. Ensure the Panel is flush to the edge of the Base.



IMPORTANT
Assembly requires 2+
adults.




REMINDER
Always pre-drill before
screwing.

Missing something or need more information?
Call our aftersales team on
0333 321 3142


**Visit our website for spare instructions and
more information**
www.forestgarden.co.uk

2

LOW LEVEL PLANTER



50MM
SCREWS

HIGH LEVEL PLANTER

50MM
SCREWS



Position and secure 2x 590 Panels to the Base, each other and the first Panel. Ensure the 590 Panels are flush to the first Panel and screws into the base bearers beneath, as shown above.

3

50MM
SCREWS50MM
SCREWS

Position and secure another 590 Panel to the Base and the previous Panels. Ensure the Panel butts up to the previous Panels and screws into the Base bearer beneath.


4

50MM
SCREWS50MM
SCREWS


Position and secure the final 590 Panels to the Base, each other and the Panels on both sides. Ensure the Panels are flush to the other Panels and screws into the Base bearers beneath as shown above.

5

LOW LEVEL PLANTER

30MM
SCREWS



HIGH LEVEL PLANTER

30MM
SCREWS

Position and secure the Cover Strips to each corner, using 2x 30mm screws. Ensure they are flush to the top and edges of the panels.



Low Cover Strips (40x12x295mm), High Cover Strips (40x12x590mm)

6



Lay out and position the Jute Liner material inside your planter. Wrap the Jute Liner around and staple to the framework. (Staples not supplied).

7

30MM
NAILS30MM
NAILS

Position and secure the Surrounds to the panels. Ensure the Surrounds are flush around the edge of the planter.

Medium Surround (40x12x533mm), Long Surround (40x12x630mm)

CHECK YOU HAVE ALL YOUR PARTS PRIOR TO ASSEMBLY.

(The parts do not have codes on them. They are listed below should you need to order one.)

Timber is a natural material of which will shrink and swell as a result of varying moisture content.


Assembly of damaged parts may be deemed to be acceptance and this may affect the remedies you are entitled to. If the product is not constructed in accordance with the instructions, or is altered in anyway (e.g. painted), the manufacturer cannot be held liable for any resulting damage.

The components provided may be heavy. Please lift with caution and with a minimum of 2 people.

High Level Shiplap Planter 670x1204mm (HLSP6701204HD)			
Label	Part Code	Description	No.
A	SP590BASE	Base (590x646mm)	2
B	HLSP590SIDE	High 590 Panel (590x590mm)	6
D	P40120590PT	High Cover Strips (40x12x590mm)	4
F	P40120533PT	Medium Surround (40x12x533mm)	2
G	P40120630PT	Long Surround (40x12x630mm)	4
H	HLSP6701204JL	Jute Liner	1

Low Level Shiplap Planter 670x1204mm (LLSP6701204HD)			
Label	Part Code	Description	No.
A	SP590BASE	Base (590x646mm)	2
C	LLSP590SIDE	Low 590 Panel (590x295mm)	6
E	P40120295PT	Low Cover Strips (40x12x295mm)	4
F	P40120533PT	Medium Surround (40x12x533mm)	2
G	P40120630PT	Long Surround (40x12x630mm)	4
I	LLSP6701204JL	Jute Liner	1

Use the labelled components to help identify the part code and description.



HEALTH & SAFETY

We strongly recommend that PPE (Personal Protective Equipment) is used throughout your build to ensure you are protected from any potential health and safety risks. **Do not exempt yourself from wearing PPE.**



TREATED TIMBER CONTAINING A BIOCIDAL PRODUCT CONTROL OF WOOD DESTROYING ORGANISMS

Active Ingredients - Propiconazole, Tebuconazole, IPBC, Permethrine, Benzyl-C12-16-Alkyldimethyl Chlorides. (Dip Treated)
Basic Copper Carbonate, DDA Carbonate, DDA Chloride. (Pressure Treated)

Wear gloves when handling. Avoid inhalation of sawdust. Do not use in contact with drinking water or food. Do not use for animal bedding or in fish ponds. Dispose of treated wood responsibly.